The meaning of robustness

Marco Cattaneo Department of Statistics, LMU Munich

WPMSIIP 2013, Lugano, Switzerland 9 September 2013

 "robustness signifies insensitivity to small deviations from the assumptions" (Huber, 1981: Robust Stat., p. 1)

- "robustness signifies insensitivity to small deviations from the assumptions" (Huber, 1981: Robust Stat., p. 1)
- the robustness of the conventional methods refers to the arbitrariness in the choice of P, while the robustness of the IP methods refers to the arbitrariness in the choice of P

- "robustness signifies insensitivity to small deviations from the assumptions" (Huber, 1981: Robust Stat., p. 1)
- the robustness of the conventional methods refers to the arbitrariness in the choice of P, while the robustness of the IP methods refers to the arbitrariness in the choice of P
- in some situations, imprecise methods can be more robust, but the gain in robustness is obtained by allowing the methods to be imprecise, and not necessarily by basing them on IP models

- "robustness signifies insensitivity to small deviations from the assumptions" (Huber, 1981: Robust Stat., p. 1)
- the robustness of the conventional methods refers to the arbitrariness in the choice of P, while the robustness of the IP methods refers to the arbitrariness in the choice of P
- in some situations, imprecise methods can be more robust, but the gain in robustness is obtained by allowing the methods to be imprecise, and not necessarily by basing them on IP models
- with the usual interpretation of "robustness", there seems to be no reason to claim that IP methods are in general robust (or more robust than conventional methods)

alternative interpretation

 "conclusions drawn from the imprecise model are automatically robust, because they do not rely on arbitrary or doubtful assumptions" (Walley, 1991: Stat. Reasoning with IP, p. 5)

alternative interpretation

- "conclusions drawn from the imprecise model are automatically robust, because they do not rely on arbitrary or doubtful assumptions" (Walley, 1991: Stat. Reasoning with IP, p. 5)
- ► IP methods are often claimed to be robust (or more robust than conventional methods): according to which interpretation of "robustness"?